

d&sign®  
WE TRANSFORM SPACES INTO EMOTIONS

WITH

ESSENZIALED®  
Led lighting

SHOWCASE LIGHTING 2018

# SPINLED Q

## SpinLed Square

### DIMENSIONS

L 218 mm  
P 218 mm  
H 22.4 mm

### WEIGHT

800 g

### CRI

95

### TOTAL LUMINOUS FLUX

4756 lm

### CHANNEL LUMINOUS FLUX

2700 K - 1984 lm  
5700 K - 2272 lm

### POWER

40 W

### POWER SUPPLY

100 ~ 240 Vac (Remote)

### CONTROL MODES

Casambi/Buttons

### PROTECTION CLASS


IP 20

### CERTIFICATION

CE/ROHS

### MATERIAL

Anodized aluminium




### FINISHINGS



BLACK



WHITE RAL 9010



GOLD



SILVER

# SPINLED R

## SpinLed Rectangular

### DIMENSIONS

L 336 mm  
P 218 mm  
H 22.4 mm

### WEIGHT

1000 g

### CRI

95

### TOTAL LUMINOUS FLUX

5460 lm

### CHANNEL LUMINOUS FLUX

2700 K - 2336 lm  
5700 K - 2624 lm

### POWER

50 W

### POWER SUPPLY

100 ~ 240 Vac (Remote)

### CONTROL MODES

Casambi/Buttons

### PROTECTION CLASS


IP 20

### CERTIFICATION

CE/ROHS

### MATERIAL

Anodized aluminium




### FINISHINGS



BLACK



WHITE RAL 9010



GOLD



SILVER

# SPOTTONE

SpottOne

## DIMENSIONS

L 183 mm

P 183 mm

H 123 mm

## WEIGHT

800 g

## CRI

97

## CHANNEL LUMINOUS FLUX

4000 K - 3680 lm

## POWER

35 W

## POWER SUPPLY


220 ~ 240 Vac

## PROTECTION CLASS

IP 20

## CERTIFICATION

CE/ROHS



## MATERIAL

Anodized aluminium

## FINISHINGS



BLACK



WHITE RAL 9010

# SPOTTONE 2

SpottOne 2

## DIMENSIONS

L 340 mm

P 183 mm

H 123 mm

## WEIGHT

1000 g

## CRI

97

## CHANNEL LUMINOUS FLUX

4000 K - 7360 lm

## POWER

70 W

## POWER SUPPLY


220 ~ 240 Vac

## PROTECTION CLASS

IP 20

## CERTIFICATION

CE/ROHS



## MATERIAL

Anodized aluminium

## FINISHINGS



BLACK



WHITE RAL 9010

# PILLAR DYNAMIC

Pillar Dynamic

## DIMENSIONS

L 27 mm

P 19 mm

H *personalized*

## CRI

97

## TOTAL LUMINOUS FLUX

3000 lm/mt

## CHANNEL LUMINOUS FLUX

4000 K

## POWER

36 W/mt

## POWER SUPPLY

300 + 300 mA

## PROTECTION CLASS


IP 20

## CERTIFICATION


CE/ROHS

## MATERIAL

Alluminium



## FINISHINGS



ANODIZED BLACK ANODIZED WHITE ANODIZED GOLD ANODIZED SILVER

# PILLAR INCASSO DYNAMIC

Pillar Incasso Dynamic

## DIMENSIONS

L 15 mm

P 12 mm

H *personalized*

## CRI

97

## TOTAL LUMINOUS FLUX

2520 lm/mt

## CHANNEL LUMINOUS FLUX

4000 K

## POWER

30 W/mt

## POWER SUPPLY

250 + 250 mA

## PROTECTION CLASS


IP 20

## CERTIFICATION


CE/ROHS

## MATERIAL

Alluminium



## FINISHINGS



ANODIZED BLACK ANODIZED WHITE ANODIZED GOLD ANODIZED SILVER

# RYP

Ryp

## DIMENSIONS

L 25 mm

P 15 mm

H *personalized*

## CRI

97

## TOTAL LUMINOUS FLUX

465 lm

## CHANNEL LUMINOUS FLUX

4000 K

## POWER

5 W

## POWER SUPPLY

700 + 700 mA

## PROTECTION CLASS


IP 20

## CERTIFICATION

CE/ROHS

## MATERIAL

Anodized aluminium



## FINISHINGS



ANODIZED BLACK ANODIZED WHITE ANODIZED GOLD ANODIZED SILVER



Via Cristoforo Colombo, 27 - Torbole Casaglia (BS) - Italia  
+39 030 2650828 | +39 348 3061 132 | info@designsrl.com

[www.designsrl.com](http://www.designsrl.com)